

CATTLE HEALTH PROGRAM

EASTERN CAPE



Summer tick control:



(Calves)



Vaccinate for
Brucellosis at 4-6
months of age

Other dip
remedies



Ectoparasite (tick) control: SPRAY: Supratraz 25% or Bantik OR POUR-ON: Ectoshield or Maxipour or Attila.

Dewormers: Calves: Endo + Lint (4 - 6 months), Adults: Doraject AD₃E LA and see diagram.

Vaccinations: Trio-Sure OR Botu-Sure + Deca-Sure. Calves at 4 - 6 months, twice 4 weeks apart.

Vitamins + Minerals: Complex A&E for Cattle (before calving & breeding) and B-co Bolic (for sick animals).

Redwater: Rednil; Redwater + Gallsickness: Babex.

Nutritional supplements: Eze-Graze (May to October).

Broad-spectrum antibiotic: Maxitet LA.

Wound Spray: SupaSpray Plus.



**SCAN HERE
FOR PRODUCT
CATALOGUE**

*This program guideline is used entirely at your own risk and the registration holder does not accept any liability due to any products used and / or actions implemented.

MEDICATION USE AND DOSE

 <p>Reg. No. G4197 Act 136/1947 [NSO] V19/18/27/442 Act 13/2003</p>	<p>Ready-to-use pour-on for tick and roundworm control.</p> <p>Pour-on.</p>  <p>1 ml per 10 kg</p>	 <p>Reg. No. G4120 Act 136/1947 [NSO] V17/19/27/390 Act 13/2003</p>	<p>Injectable mineral and vitamin solution.</p> <p>Injection (subcutaneous).</p>  <p>1 ml per 50 kg</p>
 <p>Reg. No. G3571 Act 36/1947 [NSO] V05/18/18/200 Act 13/2003</p>	<p>Dip controlling ticks and flies. Kills lice and protects against screw-worm.</p>  <p>Spray race: 1,5 l per 1000 l water Hand spraying: 15 ml per 10 l water</p> 	 <p>Reg. No. G4005 Act 136/1947 [NSO] V14/19/47/245 Act 13/2003</p>	<p>Injectable tonic to boost metabolism and aid in recovery after disease.</p> <p>Injection (subcutaneous).</p>  <p>Calf: 5 - 15 ml Mature: 10 - 25 ml</p>
 <p>Reg. No. G3912 Act 36/1947 [NSO] V13/18/18/1100 Act 13/2003</p>	<p>Long-acting antiparasitic remedy with vitamins. 45 days control of blue ticks.</p> <p>Injection (subcutaneous).</p>  <p>1 ml per 50 kg</p>	 <p>Reg. No. V05646 Act 136/1947 Numbria Reg. No. NFF3304</p>	<p>Additive to improve animal digestion in the dry season.</p> <p>In feed/lick or drinking water.</p>  <p>3 - 4 g per animal per day</p>
 <p>Reg. No. G3500 Act 136/1947 [NSO] V05/18/18/299 Act 13/2003</p>	<p>Roundworm and tapeworm remedy.</p> <p>Oral dose.</p>  <p>10 ml per 50 kg</p>	 <p>Reg. No. G4342 Act 136/1947 [NSO] V18/24/14/59 Act 13/2003</p>	<p>Vaccine for immunisation against Anthrax, Botulism & Blackquarter.</p> <p>Injection (subcutaneous).</p>  <p>5 ml per animal</p>
 <p>Reg. No. G4204 Act 136/1947</p>	<p>Antiparasitic remedy. Control adult liver fluke.</p> <p>Injection (subcutaneous).</p>  <p>1 ml per 50 kg</p>	 <p>Reg. No. G4280 Act 36/1947 [NSO] V19/24/27/448 Act 13/2003</p>	<p>Vaccine for the immunisation against 10 clostridial strains.</p> <p>Injection (subcutaneous).</p>  <p>5 ml per animal</p>
 <p>Reg. No. G3911 Act 36/1947 [NSO] V13/17/42/118 Act 13/2003</p>	<p>Cures and prevents redwater.</p> <p>Injection (subcutaneous or intramuscular).</p>  <p>5 ml per 100 kg</p>	 <p>Reg. No. G4390 Act 136/1947 [NSO] V05/17/17/204 Act 13/2003</p>	<p>Long-acting injectable oxytetracycline antibiotic.</p> <p>Injection (intramuscular).</p>  <p>1 ml per 10 kg</p>
 <p>Reg. No. G4829 Act 36/1947 [NSO] V06/18/30/882 Act 13/2003</p>	<p>Ectoparasitic wound remedy.</p> <p>Spray: Over wound surface.</p> 	 <p>Reg. No. G4109 Act 136/1947</p>	<p>Cures redwater and tick-borne gallsickness.</p> <p>Injection (intramuscular).</p>  <p>Redwater: 1 - 2,5 ml per 100 kg Gallsickness: 2,5 ml per 100 kg</p>

WINTER LICK
Protein based.
Given from April to September.



SUMMER LICK
Phosphate based.
Given from October to March.