

# Supatraz 25%

Reg. No. G3581 Act / Wet 36/1947  
NISO V05/18.4.4/296 Act / Wet 13/2003



Isetyenziswa kumhandle wesilwanyana kuphela



## Yidiphu exutywa namanzi

### IINKOMO

Ilwa amakhalane. Ibulala intwala nokhwekhwe.

### IGUSHA NEBHOKHWE

Ilwa amakhalane. Ilwa ibhula ezigusheni.  
Ibulala intwala erhawuzelisayo nebhula ezibhokhweni.



### INOBUGOZI

Yikhusele kubushushu obuphezulu nokubanda kwanjalo nakubumanzi.

### Iqulethe:

Amitraz 25,0 % m/v



Registration Holder / Registrasiehouer: Kyron Animal Health (Pty) Ltd.,  
Reg. No. 2004/021847/07, Unit 45C, 45 Parkview Street, Highway Business  
Park, Rooihuiskraal Ext. 31, Centurion, 0157, South Africa. Tel: 0861 247 463.



## IZILUMKISO

- IXESHA LOKULINDA : MAZINGAXHELWA IZILWANYANA NGENJONGO YOKUTYIWA KWENYAMA NGABANTU ZINGEKAPHELI INTSUKU EZIYI 7 EMVA KOKUDIPHA KOKUGQIBELA.
- DO NOT USE ON HORSES.
- Xa Inokuthi inike impawu zetyhefu emntwini makubizwe ugqirha anikwe inkcukacha ezibhaliweyo eyezeni elo.
- Maligcinwe lifihlakele kubantwana , nakubantu abangenalwazi nakwizilwanyana.
- Noxa eli yeza livavanywe mandla naphantsi kwemeko eziliqela ukungasebenzi kwalo kunokuthi kwenzeka ngenxa yezizathu eziliqela . Ukuba oko kuthe kwakrokreleka, funa ingcebiso kugqirha wonyango mfuyo kwaye kwaziswe umvelisi walo iyeza elo.

## IZILUMKISO

- Qinisa iziciko kulombombozi ineyeza xa lingasetyenziswanga.
- Ngcwaba imbombozi ebezinediphu.
- Hlambisisa izandla emveni kokulisebenzisa.

## INDLELA ZOKULISEBENZISA – LISEBENZISE NJENGOKO KUYALELWE

Lisetyenziswa kumphandle wenkomo ,wegusha ,nebhokhwe . Isupatraz 25 % ingaxutywa nolunye uhlobo.

## INKOMO

- Isifufuzi

Umxube wenziwa kabutsha qho kuzoditshwa ngesifufuzi .Faka umlinganiselo ofunekayo we Supatraz 25 % kwi 10L yamanzi akwinto elingene wona. Yakube ithe yazanyisiswa mayigalelwe kwitanki elo likhululu lamanzi kuzanyisiswe.

Use at a rate as per the table below:

SUPATRAZ 25 %	WATER
100 ml	100 l
200 ml	200 l
500 ml	500 l
1 l	1 000 l
5 l	5 000 l
10 l	10 000 l
20 l	20 000 l

## Boost

Kuyakhuthazwa ukuba inkomo zingedluli kumakhulu amane ezingena kwisifufuzi eso ngenxsha elinye ingakumbi xa ukunuka kuyingxaki. Ukuba zidlule ku 400 yenkomo makongezwe qho 100ml yeyeza kwiqela ngalinye elongezelekayo elingu 200 ukuqinisekisa ukuba isithako sifumaneka ngokoneleyo , ingakumbi xa izifo ezenziwa ngamakhalane ziyingxaki.

- Idiphu eziqubhayo kuyo

**Ukuxuba kokuqala:** Lena imeko ifuna ukuba idiphu igcwaliswe iyoma kwindawo ekunqweneleka ukuba ime kuyo qho kuditshwa. SUPATRAZ 25 % ithi ifakwe ngokommiselo myinge ongu 1L yeyeza kwi 5000 L yamanzi, ngokuthi kube kubaliwe ubungakananani bamanzi akwitanki kuqala.

**Ufakelo lwe lime ukuqinisekisa ukuba ihlala inamandla:**

- **Ukuxuba kokuqala:** Yongeza i- SUPATRAZ 25 % kumyinge we 1L yayo nge 1000L nganye yamanzi. Qho kwakugqitywa ukuditshwa kufakwe 6 kg ye calcium hydroxide (75%) nge 1000L yamanzi.
- **Ukongezwa kwediphu:** Yongeza i-SUPATRAZ 25 % kumlinganiselo we 1L yayo kwi 1000L nganye eyongezwayo yamanzi. Qho emva kokudipha zonke inkomo makufakwe i- calcium Hydroxide (75 %) etankuni ngokomlinganiselo we 5 kg nge 100 nganye yenkomo eziditshiweyo ukuqinisekisa ubutyiwa (pH) bamanzi bume ku 12.

**Amaxesha okuphinda ukudipha:**

- **Amakhalane nebhula:** Ukufufufuza / nokuziqubhisa qhi iveki neveki
- **Intwala:** Isifufuzi nokuqubhisa udipha kabini ushiyanisa intsuku eziyi 7

Xa ukudipha kuthi kwenziwe kushiyaniswe iveki eziyi 3, ilime eyongezwayo mayibe yi 1kg (75 % isithako) kwi 1000L nganye yamanzi engena etankini. Idiphu leyo isetankini mayikhuselwe mandla kangangenyanya ezimbini ukuba kulandelwa lemeko.

## IGUSHA NEBHOKHWE

SUPATRAZ 25 % should be administered by means of either:

1. Ukudipha kabini kusetyenziswa amanzi amatsha kwidiphu engakhange iphazanyiswe. SUPATRAZ 25 % mayongezwe ngokomlinganiselo we 1L kwi 750 L nganya yamanzi, ngokuthi kuqwalaselwe ukuba itanki igcwala ngamanzi amangakanani.

## OKANYE

2. Ukudipha kabutsha kwidiphu engaphazanyiswanga ethi ihlale igcinwe ikwimeko esebenzayo ngokuthi kongezwe i lime ngokomlinganiselo ongu 4kg kumanzi qho angu 750L , ngokuthi kuqwalaselwe ukuba itanki igcwala ngamanzi amagakanani.

## Frequency:

maziditshwe kabini kushiyaniswa intsuku ezisixhenxe ukulwa ibhula , intwala erhawuzelisayo , nokhwekhwe ezibhokhweni . Qinisekisa ukuba zimanziseke ngokwaneleyo ngokuthi zitshononiswe umzuzu omnye nganye kathathu ukuqinisekikisa ukufikelela kweyeza kumphakathi wendle.

## OKUBALULEKILEYO

Ibhula sisifo esiphantsi kweliso likarhulumente ngoko ke masixelwe kugqirha wonyango mfuyo okufutshane.